
2024 Blue Cross and Blue Shield Service Benefit Plan - Standard and Basic Option
Section 10. Definitions of Terms We Use in This Brochure
Page 154

2. Reliable evidence shows that the healthcare service (e.g., procedure, treatment, supply, device, equipment, drug, biological product) is the subject of ongoing phase I, II, or III clinical trials or under study to determine its maximum tolerated dose, its toxicity, its safety, its efficacy, or its efficacy as compared with the standard means of treatment or diagnosis; or

3. Reliable evidence shows that the consensus of opinion among experts regarding the healthcare service (e.g., procedure, treatment, supply, device, equipment, drug, biological product) is that further studies or clinical trials are necessary to determine its maximum tolerated dose, its toxicity, its safety, its efficacy, or its efficacy as compared with the standard means of treatment or diagnosis; or

4. Reliable evidence shows that the healthcare service (e.g., procedure, treatment, supply, device, equipment, drug, biological product) does not improve net health outcome, is not as beneficial as any established alternatives, or does not produce improvement outside of the research setting.

Reliable evidence shall mean only evidence published in peer-reviewed medical literature generally recognized by the relevant medical community and physician specialty society recommendations, such as:

1. Published reports and articles in the authoritative medical and scientific literature;
2. The written protocol or protocols used by the treating facility or the protocol(s) of another facility studying substantially the same drug, device, or biological product or medical treatment or procedure; or
3. The written informed consent used by the treating facility or by another facility studying substantially the same drug, device, or biological product or medical treatment or procedure.

Generic alternative

A generic alternative is a U.S. FDA-approved generic drug in the same class or group of drugs as your brand-name drug. The therapeutic effect and safety profile of a generic alternative are similar to your brand-name drug, but it has a different active ingredient.

Generic equivalent

A generic equivalent is a drug whose active ingredients are identical in chemical composition to those of its brand-name counterpart. Inactive ingredients may not be the same. A generic drug is considered “equivalent,” if it has been approved by the U.S. FDA as interchangeable with your brand-name drug.

Group health coverage

Healthcare coverage that you are eligible for based on your employment, or your membership in or connection with a particular organization or group, that provides payment for medical services or supplies, or that pays a specific amount of more than \$200 per day for hospitalization (including extension of any of these benefits through COBRA).

Healthcare professional

A physician or other healthcare professional licensed, accredited, or certified to perform specified health services consistent with state law. See Section 3 for information about how we determine which healthcare professionals are covered under this Plan.

Health Risk Assessment (HRA)

A questionnaire designed to assess your overall health and identify potential health risks. Service Benefit Plan members have access to the Blue Cross and Blue Shield HRA (called the “Blue Health Assessment”) which is supported by a computerized program that analyzes your health and lifestyle information and provides you with a personal and confidential health action plan that is protected by HIPAA privacy and security provisions. Results from the Blue Health Assessment include practical suggestions for making healthy changes and important health information you may want to discuss with your healthcare provider. For more information, visit our website, www.fepblue.org.

Iatrogenic infertility

Infertility caused by a medically necessary medical or surgical intervention used to treat a condition or disease.

Infertility

A disease, condition or status characterized by the failure to establish a pregnancy or to carry a pregnancy to live birth after regular, unprotected sexual intercourse, or a person's inability to reproduce either as a single individual or with their partner without medical intervention, or a licensed physician's findings based on a patient's medical, sexual, and reproductive history, age, physical findings and/or diagnostic testing.

Inpatient

You are an inpatient when you are formally admitted to a hospital with a doctor's order.

Note: Inpatient care requires precertification. For some services and procedures prior approval must also be obtained. See Section 3.

Go to page [153](#). Go to page [155](#).